


ACCURACY • PERFORMANCE • QUALITY



NUWEIGH
AUSTRALIA

AXLE LOAD SCALE

XTR 686

AXLE LOADS FOR VEHICLE APPLICATION



PLATFORM



INDICATOR



COMBINATION
INDICATOR &
PLATFORM

Indicator: XTR 686 ID

Platform: XTR 686

Long Range Wireless



FULL WIRELESS SYSTEM

Radio Data Transfer



NUWEIGH AUSTRALIA
NEWCASTLE 02 4961 4554
www.nuweigh.com.au

2012. 03. 08 13: 44

Sn : 0012
car : 0000

1AXLE:	60 /	40 kg
		100 kg
2AXLE:	40 /	40 kg
		80 kg
3AXLE:	40 /	40 kg
		80 kg
TOTAL:		260 kg


**WEIGH, PRINT, REPORT
ANYWHERE, ANYTIME**

XTR 686


WHEEL LOAD SCALE

Features

- Portable High Quality Design
- Light & Sturdy Aluminium Alloy Case
- Lithium polymer battery built-in Rechargeable Battery
- Communicate Data with XTR 686ID & Printing Indicator
- ZIGBEE wireless communication
- 2 Operation Modes :Weigh-In-Motion :Static Mode
- Low profile 33mm
- Rubber Ramps Included
- Water & Vibration Resistant



DIMENSIONS (mm)



SPECIFICATIONS

FEATURES	OP101	OP102	OP103
Capacity	5,000kg	10,000kg	15,000kg
Division	5kg	10kg	20kg
Dimensions	917 x 730 x 58 (mm)		
Weighing Dimensions	700 (W) x 500 (L) x 33 (H) (mm)		
Weight	24.3kg (SCALE ONLY)		
Ramp Weight	1.6kg x 2EA = 3.2kg		
Power	1) Lithium Polymer Battery (Rechargeable) 2) AC 230V Adaptor (Output: 9V 1000mA)		
Operating Time	100 hours		
Display	5 digit LCD (height 20mm) back light		
Key	ON/OFF, ZERO, SUM, BACK LIGHT		
Operating Temperature	-10°C ~ 40°C		


XTR 686 ID WHEEL LOAD INDICATOR

Features

- Portable High Grade waterproof Case
- ZIGBEE Wireless communication
- Long Battery Life
- Individual Axle Weight Readings
- 2 Operation Modes
:Weight-In-Motion
:Static mode
- Built-in Thermal Printer
- Memory & Reporting Functions
- Custom Memory & Report Features Available
- Alpha Numeric Vehicle ID Feature



DIMENSIONS (mm)



SPECIFICATIONS

FEATURES	
Display	LCD (Height 20mm), Back Light
Display Lamp	Low Battery, Stable, Zero, Charger
Power	DV 12V, 1A
Battery	6 Volt Rechargeable Battery
Operating Time	150 hours
Pad Quantity	Up to 12 Pads to Single XTR 686 ID
Pad Model	XTR 686
Size / Weight	270 (W) x 250 (L) x 124 (H) / 4.2kg
Memory	10,000 Lines
Printer	Direct line Thermal Printer, paper size 40 x 57mm
Option	RS-232C

Proudly Sold & Serviced By:

Able Scale Co Pty Ltd

Ph: 1300 731 360

21 Green St Thomastown VIC. 3074



find us on the web: www.ablescale.com.au